

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



DuPont™ Arilon®
INSECTICIDE

Professional Products

ACTIVE CONSTITUENT:
200 g/kg INDOXACARB

GROUP **22A** INSECTICIDE

For the control of cockroaches, ants and house flies

IMPORTANT: READ THIS LEAFLET BEFORE USE

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray into the air as a space spray, or use in any fogging device.

DO NOT apply to areas or surfaces where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.

SITUATION	PEST	RATE	CRITICAL COMMENTS
For inside and outside Domestic, Commercial, Industrial and Public Service buildings including: factories, hospitals, homes, retail outlets, and farm buildings	Cockroaches	12.5 or 25 g/5 L of water For maintenance applications and when shorter term residual performance is required, use 12.5 g/5 L. For heavy infestations or when extended residual performance is required, use 25 g/5 L.	Spray known and potential cockroach hiding places. A barrier spray around hotspots and along the perimeter of rooms is recommended. A perimeter spray around buildings will help control outdoor cockroach species. For areas where sprays are not suitable (for example around electrical boxes), the use of DuPont™ Advion® Cockroach Gel is recommended.
	Ants		Spray areas of infestation and building entry points. A perimeter spray around the building and in flower beds will help prevent the entry of ants. For areas where sprays are not suitable (for example around electrical boxes) the use of DuPont™ Advion® Ant Gel is recommended.
	House flies		Spray surfaces where flies land and rest, including internal walls and ceilings, external walls exposed to morning sun and roof spaces.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

DuPont™ Arilon® insecticide is a water dispersible granular insecticide to be mixed in water and applied as a residual spray for control of cockroaches, ants and house flies in and around domestic, commercial, industrial and public service buildings.

Arilon® is a non-repellent insecticide, allowing insects to pick up a lethal dose quickly as they are not repelled from treated areas. Therefore, it can be used in the same areas as bait products, without reducing the performance of the baits.

Arilon® is activated inside the insect and can take several hours before an effect is observed. Mortality may take up to 24 hours for insects exposed to a fresh application of Arilon®. Arilon® does not have a flushing effect or fast “knockdown” properties like pyrethroid products.

Length of protection is dependant on surface and environmental conditions. Maximum length of residual control is obtained under indoor and/or sheltered outdoor conditions.

INSECTICIDE RESISTANCE WARNING

GROUP **22A** INSECTICIDE

For insecticide resistance management DuPont™ Arilon® insecticide is a Group 22A insecticide. Some naturally occurring insect biotypes resistant to Arilon® and other Group 22A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Arilon® or other Group 22A insecticides are used repeatedly. The effectiveness of Arilon® on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, DuPont accepts no liability for any losses that may result from the failure of Arilon® to control resistant insects.

Arilon® may be subject to specific resistance management strategies. For further information contact your local supplier or DuPont representative.

APPLICATION

Fill spray tank $\frac{1}{4}$ to $\frac{1}{2}$ full of water. Add Arilon® directly to the spray tank and disperse thoroughly using mechanical or hydraulic agitation. Apply using well maintained and accurately calibrated spray equipment.

For non-absorbent surfaces apply up to 5 L of spray solution over 100 m². **DO NOT** exceed the point of run-off.

For absorbent surfaces apply 5 – 10 L of spray solution over 100 m².

If the quantity of spray solution varies from 5 L/100 m², adjust the concentration to achieve application of 12.5 or 25 g product 100m².

Arilon® is formulated to not stain or cause damage to most building surfaces where water applied alone causes no damage. It is still recommended that before a first application is made, treat a small area and allow to dry to determine whether staining will occur.

Avoid contact with food, food utensils and food preparation surfaces, these items should be removed or covered prior to spraying. Any food items contaminated during spraying should be discarded, contaminated utensils and preparation surfaces should be washed thoroughly.

Cover any fish tanks prior to applying the product.

DO NOT store the diluted solution. If the solution sits in the tank for a period of hours, re-agitate prior to application.

Food/feed areas

Application to food/feed areas of food/feed handling establishments may only be made as a crack and crevice treatment. Food and feed handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and the facility is in operation.

Apply into cracks and crevices using equipment designed to deliver a pin stream between different elements of construction, between floor and equipment, openings to voids and hollow spaces in walls, bases and equipment.

RE-ENTRY PERIOD

DO NOT allow entry into treated areas until the spray has dried, unless wearing cotton overalls (or equivalent clothing). Clothing must be laundered after each day's use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. **DO NOT** store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). Wash hands after use. After each day's use, wash contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

**IN A MEDICAL EMERGENCY CALL
1800 674 415 All hours**

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (available from <http://www.dupont.com.au>).

NOTICE TO BUYER

To the extent permitted by law all conditions and warranties and statutory or other rights of action which buyer or any other user may have against DuPont or Seller are hereby excluded. DuPont hereby gives notice to buyer and other users that it will not accept responsibility for any indirect or consequential loss arising from reliance on product information or advice provided by DuPont or on its behalf unless it is established that such information or advice was provided negligently and that the product has been used strictly as directed. DuPont's liability shall in all circumstances be limited to replacement of the product or a refund of the purchase price paid therefor.

The DuPont Oval Logo, DuPont™, and Arilon® are trademarks or registered trademarks of DuPont or its affiliates.

APVMA Approval Number: 64396/500b/0810

Du Pont (Australia) Limited
ACN 000 716 469
7 Eden Park Drive
Macquarie Park NSW 2113
Phone: (02) 9923 6111
<http://www.dupont.com.au>