

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE USING



cislin
ULTRA

Fast-Shot
Crack and Crevice Aerosol

ACTIVE CONSTITUENTS: 1.5 g/L S-BIOALLETHRIN
0.2 g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

A combination fast-knockdown and residual insecticide aerosol for control of various pests by professional pest controllers as specified in the directions for use.
Water-based.

420 g
Net



DIRECTIONS FOR USE

Shake well before use. Hold container upright whilst spraying.

Cislin Ultra Fast-Shot Crack and Crevice Aerosol combines a fast acting knockdown agent with the active ingredient of Cislin Residual Insecticide to provide a product with fast knockdown and residual activity. It will give effective residual control of pests listed below in situations such as domestic, public service, industrial and commercial areas.

Cislin Ultra Aerosol is water based and will therefore not stain surfaces or fabrics where water alone will not stain. (If in doubt about a certain fabric test a small inconspicuous area first).

Spray crawling insects and infested areas using the supplied crack and crevice nozzle inserted into the harbourage. Apply as a barrier spray around inaccessible places.

DIRECTIONS FOR USE:

RESTRAINT

DO NOT USE AS A SPACE SPRAY

PEST	CRITICAL COMMENTS
Cockroaches	Spray skirting boards, cupboards, drawers, behind and under stoves and other kitchen appliances. Use crack and crevice nozzle to direct spray into cracks, crevices and other hard to reach places.
Ants	Spray around and in garbage bins, food disposal areas, sills and other points of entry.
Fleas	Spray around pet resting areas. Adult fleas and larvae contacted by spray will be killed. Do not spray animals directly. For best results, pets should be treated with an appropriate flea product before allowing them to return to a treated area. Spray rugs and carpets where infestations are bad. Test for potential for water-stains on an inconspicuous piece prior to use.
Flies, mosquitoes	Spray surfaces where flies and mosquitoes settle. For outdoor fly control spray garbage bins, and around unit incinerators and barbecues.
Silverfish	Spray around bookshelves, drawers, along skirting boards and architraves.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

GROUP 3A INSECTICIDE

For insecticide resistance management, Cislin Ultra Aerosol is a Group 3A insecticide.

Some naturally occurring insect biotypes resistant to Cislin Ultra Aerosol and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the local insect population if Cislin Ultra Aerosol or other Group 3A insecticides are used repeatedly. The effectiveness of Cislin Ultra Aerosol on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from the failure of Cislin Ultra Aerosol to control resistant insects.

For information about strategies for managing insecticide resistance contact your local supplier or Bayer Environmental Science representative.

CAUTION

Avoid contact with food or places where food is prepared or stored. Before use – remove or cover all exposed foodstuffs; cover all dishes and utensils and places where food is prepared or stored,

After use – thoroughly ventilate treated areas. Clean up thoroughly before processing/serving resumes.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. DO NOT apply directly to water.

Contents under pressure. Keep away from heat, sparks and open flame. DO NOT puncture or incinerate container. Exposure to temperatures above 55 °C may cause bursting. DO NOT spray the moving parts of any machinery, electric motors or switch gear with the water-based product.

SAFETY DIRECTIONS:

Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. Facial skin contact may cause temporary facial numbness. Wash hands after use.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26).

STORAGE AND DISPOSAL:

Keep in a cool place out of sun and out of reach of children. DO NOT incinerate or puncture this can, even when empty. Dispose of can by putting in the garbage, or leaving it at an appropriate metal recycling collection point.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:

DO NOT contaminate ponds, waterways or drains with the product or used containers.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

MN 79428006

Cislin® is a Registered Trademark of Bayer.

APVMA Approval No.: 62276/420/0508

Bayer Environmental Science
 A Business Operation of
 Bayer CropScience Pty Ltd
 A.B.N. 87 000 226 022
 391-393 Tooronga Rd
 East Hawthorn, Vic. 3123
 Phone: (03) 9248 6888
 Fax: (03) 9248 6800
 Website: www.bayeres.com.au



Bayer Environmental Science
 A Business Operation of Bayer CropScience

CFC
 spray logo



**FOR 24 HOUR SPECIALIST
 ADVICE IN EMERGENCY ONLY
 PHONE 1800 033 111**



9 319784 800241

Size	207 mm wide x 244.5 mm deep
Print	4 color process only