

#### DIRECTIONS FOR USE

DO NOT exceed 3m between bait stations for mice or 9m for rats  
DO NOT place bait stations in open  
DO NOT apply baits to crops

**Baiting Strategy:** Eliminate as far as practicable, all other food sources. Bait infested area. Place baits under cover. Inspect baits daily. Replace eaten baits. If quickly eaten increase number of baits. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

**For mice:** use single blocks

**For rats:** use 1 to 3 blocks depending on level of infestation

Situation	Pest	Rate	Critical Comments
Agricultural Commercial Domestic Industrial	Rats ( <i>Rattus rattus</i> , <i>Rattus norvegicus</i> ) Mice ( <i>Mus musculus</i> )	1 to 3 blocks per bait station depending on level of infestation	Set out baits in places frequented by mice and rats but not more than 2m away from buildings etc. For rats: Place 1 to 3 blocks at intervals of 5-9m in infested areas. For mice: Place single blocks at 2-3m intervals in infested areas.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.**

#### GENERAL INSTRUCTIONS:

Locate bait stations along walls or rafters and in dark sheltered spots in which there are signs of rodent activity. Nail or fix in place if relevant. Wax blocks are particularly suitable for use in damp situations where risk of contamination should be minimized. Record the number and locations of bait stations for purpose of replenishment and later removal. Most deaths occur 4 to 7 days after consumption of bait.

#### PRECAUTION:

Keep away from food and water and surfaces which come in contact with food and water.

6136-3

# POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

## Ditrac<sup>®</sup> ALL WEATHER Blox<sup>™</sup> RODENTICIDE

ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM

Contains Denatonium Benzoate (Bittering Agent)

READY TO USE BLOCK BAIT



**For use in damp or dry situations**

in and around industrial, commercial, agricultural and domestic buildings.

**CONTROLS SPECIES RESISTANT TO WARFARIN**

### PRIMARY PACK

CONTAINS 90 x 20 g RODENT BLOCKS

WHICH ARE ILLEGAL TO SELL SEPARATELY.

DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

## NET 1.8 kg

Manufactured by:



**Bell Laboratories, Inc.**

Madison, Wisconsin 53704 U.S.A. • www.belllabs.com

**Australian Agent:**

Bell Australia Pty Ltd.

Level 4 Grant Thornton House

102 Adelaide Street,

Brisbane QLD 4000

ph: (02) 9647 2111



#### PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds. The product is restricted to use in and around buildings, (within 2 metres) or enclosed spaces, e.g. drains.

#### STORAGE AND DISPOSAL:

Store in a tightly closed, original container in a dry, well ventilated area, as cool as possible out of direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and bury empty container in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

#### SAFETY DIRECTIONS:

Poisonous if swallowed. Do not inhale dust. Do not touch bait. Use scoop or measure. If on skin and after each baiting wash thoroughly with soap and water. Vitamin K<sub>1</sub> (Phytomenadione) is antidotal.

#### FIRST AID:

If poisoning occurs, contact a doctor or the Poisons Information Centre (phone Australia 131126; New Zealand 0800 764 766).

#### MSDS

For further information please refer to the Material Safety Data Sheet which can be obtained from the supplier.

#### CONDITIONS OF SALE:

The use of DITRAC<sup>®</sup> Blox<sup>™</sup> is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Trade Practices Act, 1974.

APVMA Approval No: 49867/1.8KG/0207

041807

Batch No.:

D.O.M.:



030835 50008 6

Australia cm dimensions  
for A3 Paper

24.8cm x 11.9cm = 100% to size

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**Ditrac<sup>®</sup>**  
**ALL WEATHER**  
**Blox<sup>™</sup>**  
**RODENTICIDE**



**ACTIVE CONSTITUENT: 0.05 g/kg BRODIFACOUM**  
 Contains Denatonium Benzoate (Bittering Agent)  
 READY TO USE BLOCK BAIT

**For use in damp or dry situations**

**in and around industrial, commercial,  
 agricultural and domestic buildings.**  
**CONTROLS SPECIES RESISTANT TO WARFARIN**

**PRIMARY PACK**  
**CONTAINS 400 x 20 g RODENT BLOCKS**

WHICH ARE ILLEGAL TO SELL SEPARATELY.  
 DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

**NET 8 kg**

Manufactured by:  
**Bell Laboratories, Inc.**  
 Madison, WI 53704 U.S.A. • www.belllabs.com

Australian Agent:  
 Bell Australia Pty Ltd.  
 Level 4 Grant Thornton House  
 102 Adelaide Street  
 Brisbane QLD 4000  
 Australia  
 ph: (02) 9647 2111

6137-7

**DIRECTIONS FOR USE**

DO NOT exceed 3m between bait stations for mice or 9m for rats  
 DO NOT place bait stations in open  
 DO NOT apply baits to crops

**Baiting Strategy:** Eliminate as far as practicable, all other food sources. Bait infested area. Place baits under cover. Inspect baits daily. Replace eaten baits. If quickly eaten increase number of baits. Continue observation and replenish until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

**For mice:** use single block

**For rats:** use 1 to 3 blocks depending on level of infestation

SITUATION	PEST	RATE	CRITICAL COMMENTS
Agricultural	Rats ( <i>Rattus rattus</i> , <i>Rattus norvegicus</i> )	1 to 3 blocks per bait station depending on level of infestation	Set out baits in places frequented by mice and rats but not more than 2m away from buildings etc.
Commercial			For rats: Place 1 to 3 blocks at intervals of 5-9m in infested areas.
Domestic	Mice ( <i>Mus musculus</i> )		For mice: Place single blocks at 2-3m intervals in infested areas.
Industrial			

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.**

**GENERAL INSTRUCTIONS:**

Locate bait stations along walls or rafters and in dark sheltered spots in which there are signs of rodent activity. Nail or fix in place if relevant. Wax blocks are particularly suitable for use in damp situations where risk of contamination should be minimized. Record the number and locations of bait stations for purpose of replenishment and later removal. Most deaths occur 4 to 7 days after consumption of bait.

**PRECAUTION:**

Keep away from food and water and surfaces which come in contact with food and water.

**PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**

DO NOT contaminate dams, streams, rivers, waterways and drains with the bait or its used container. The bait is hazardous to pigs, cats, dogs, poultry, birds and wildlife and care should be exercised in its use. DO NOT place baits in locations which are accessible to domestic animals, livestock or birds. The product is restricted to use in and around buildings, (within 2 metres) or enclosed spaces, e.g. drains.

**STORAGE AND DISPOSAL:** Store in a tightly closed, original container in a dry, well ventilated area, as cool as possible out of direct sunlight. Shake empty container onto baiting site. Break, crush or puncture and bury empty container in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Search for and burn or bury all rodent bodies, do not place in refuse bins or in rubbish tips. Ensure uneaten baits are removed and disposed of with the empty containers when rodent activity has ceased.

**SAFETY DIRECTIONS:**

Poisonous if swallowed. Do not inhale dust. Do not touch the bait. Use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Vitamin K<sub>1</sub> (Phytomenadione) is antidotal.

**FIRST AID:**

If poisoning occurs, contact a doctor or the Poisons Information Centre. (Phone Australia 131126; New Zealand 0800 764 766.)

**MSDS:**

For further information please refer to the Material Safety Data Sheet which can be obtained from the supplier.

**CONDITIONS OF SALE**


The use of DITRAC<sup>®</sup> Blox is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the *Trade Practices Act, 1974*.

APVMA Approval No.: 49867/8KG/0207

Batch No.:

042607

D.O.M.:



Australia cm dimensions  
 for A3 Paper  
 27.2cm x 16.9cm = 100% to size