

Main Panel

POISON**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING****Maxforce[®] GB****Granular Ant Bait****ACTIVE CONSTITUENT: 10 g/kg HYDRAMETHYLNON****GROUP 20A INSECTICIDE****300 g
Net**

For indoor and outdoor control of Fire ants, Singapore Ants, Coastal Brown Ants and Greenhead Ants. For use in and around structures and residential areas as per the DIRECTIONS FOR USE.

ANCILLARY PANEL – ALL PACKS

DIRECTIONS FOR USE**Restrains**

DO NOT apply to ground surface which is wet or to areas that are washed or irrigated, or if rain is likely within 24 hours of application.

DO NOT apply with or near any other insecticide, fertiliser or product of any type.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Lawns and gardens. Golf courses, sportsfields, parks and other turf areas. Industrial, non-crop land and non-food cropped areas	Fire ants, Singapore ants and coastal brown ants Greenhead ants (<i>Rhytidponera</i> spp.)	1.0 -2.5 kg/ha or 2 – 5 g/20 m ² or 14 to 28 g per mound 1.8 – 2.5 kg/ha Or 3.5 – 5.0 g /20m ²	Broadcast application: Apply uniformly over treatment area using a granular spreader or gloved hand. Use the higher rate when infestation levels are severe and the lower rate when ant densities are lower. This will need to be determined on a case-by-case basis. Mound/Nest application (where relevant): Sprinkle granules around each mound/nest. For best results, do not apply directly to the mound, nor disturb the ants or mound. Apply when ants are active. Repeat applications as needed. Use the higher rate when infestation levels are severe and the lower rate when ant densities are lower. This will need to be determined on a case-by-case basis.
Indoor areas: Inaccessible areas such as cracks and crevices, wall voids and crawl spaces in commercial and residential areas	Fire ants, Singapore ants and coastal brown ants	14 g per crack or crevice Or 3.5 g/m ²	Apply granules using a suitable applicator into areas inaccessible to children and pets. Remove any loose or excess granules.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

ANCILARY PANEL- ALL PACKS

GENERAL INSTRUCTIONS

Maxforce GB Granular Ant Bait controls fire ants and other ants such as Singapore, coastal brown and green-head ants. For use in homes, residential, commercial and other structures. This is a ready to use product for use in and around buildings, on lawns and other non-crop areas. This patented formula contains a special blend of foods combined with the delayed action stomach poison hydramethylnon.

Due to the impact of moisture and humidity on the attractiveness of the bait to pest species it is recommended that re-application occurs after 7 days if ant activity is not completely eliminated.

INSECTICIDE RESISTANCE WARNING

GROUP	20A	INSECTICIDE
--------------	------------	--------------------

For insecticide resistance management Maxforce GB Granular Ant Bait is a Group 20A insecticide. Some naturally occurring insect biotypes resistant to Maxforce GB Granular Ant Bait and other Group 20A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Maxforce GB Granular Ant Bait or other Group 20A are used repeatedly. The effectiveness of Maxforce GB Granular Ant Bait on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from failure of Maxforce GB Granular Ant Bait to control resistant insects.

For further information on managing insecticide resistance contact your local supplier or Bayer Environmental Science representative.

PRECAUTION

Avoid contact with food, food utensils or places where food is prepared.

In indoor areas, DO NOT use in areas accessible to children

APPLICATION

For outdoor broadcast applications use a hand-held rotary spreader or similar device which will give uniform distribution. For smaller areas sprinkle uniformly by hand covered with elbow length gloves.

For indoor applications use a suitable dust or granule applicator.

EQUIPMENT CLEANING

Equipment should be thoroughly clean before use. Unused granules should be returned to the original sealed labelled container.

PROTECTION OF LIVESTOCK

DO NOT place baits in locations which are accessible to domestic animals, livestock or birds.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

This product is highly toxic to fish and aquatic invertebrates. **DO NOT** apply directly to water. **DO NOT** contaminate ponds, waterways or drains with the product or used containers.

ANCILLARY PANEL – HDPE PLASTIC BOTTLE (300g)**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry cool, well ventilated place out of direct sunlight. Triple of preferably pressure rinse containers before disposal. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available bury the containers below 500 mm in a disposal pit specifically marked and set-up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

If dispensing by hand wear rubber gloves.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Telephone: 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the material safety data sheet.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Maxforce® is a registered trademark of Bayer

APVMA Approval No.: 54361/300g/0309

**FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY:
PHONE 1800 033 111**

Bayer Environmental Science
A Business Group of Bayer CropScience Pty Ltd
ABN 87 000 226 022
391-393 Tooronga Rd
East Hawthorn Victoria 3123

Phone: (03) 9248 6888
Fax: (03) 9248 6800
Website: www.bayeres.com.au

BAR CODE

BATCH NO:
DATE OF MANUFACTURE: