

[PRIMARY PACK LABEL]

MAIN PANEL

---

**POISON**

**KEEP OUT OF REACH OF CHILDREN**

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**Maxforce<sup>®</sup>**

**Granular Insect Bait**

---

Active Constituent: 10 g/kg HYDRAMETHYLNON

GROUP	<b>20A</b>	INSECTICIDE
-------	------------	-------------

\*

For the control of ants and large cockroach species (ie. excluding German cockroaches) as specified in the DIRECTIONS FOR USE.  
For use by Professional Pest Control Operators.

\* 283 g, 1 Kg, 2.72 Kg NET

(label code)

ANCILLARY PANEL**DIRECTIONS FOR USE****Restraint:**

DO NOT apply to ground surfaces which are wet or to areas that are washed or irrigated, or if rain is likely within 24 hours of application.

DO NOT apply in conjunction with other insecticides or near where they have been applied.

<b>SITUATION</b>	<b>PEST</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Outdoor use – perimeter treatment			
Around building foundations	Ants	1 – 3.5 g per lineal metre in bands 0.3 – 0.6 metres wide	Sprinkle evenly in a band. For best results apply when pests are most active; usually late afternoon for ants and evening for cockroaches. Follow up visits should be made to inspect bait placement. Re-apply as necessary.
Along driveways, paths and garden edges	American cockroach, Australian cockroach	3.5 g per lineal metre in bands 0.6 metres wide	
Around the base of trees			
Outdoor use – broadcast application			
Lawns, ornamental gardens, non-crop areas	Ants	1 g per 6 m <sup>2</sup>	Apply uniformly over treatment area using a spreader or gloved hand.
Outdoor use – ant mounds			
Lawns, ornamental gardens, non-crop areas	Ant mounds	28 g per mound (equivalent to 2 tablespoons)	Sprinkle granules (DO NOT use food utensils) around each mound. For best results, do not apply directly to the mound, nor disturb the ants or mound.
Indoor use – DO NOT use in areas accessible to children			
Cracks and crevices in commercial and residential buildings	Ants	14 g per crack or crevice (equivalent to 1 tablespoon)	Apply granules using a suitable applicator (DO NOT use food utensils). Remove any loose or excess granules.
Wall voids and crawl spaces in commercial and residential buildings		3.5 g/ m <sup>2</sup>	Sprinkle granules (DO NOT use food utensils) in spaces inaccessible to children

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

ANCILLARY PANEL

---

**GENERAL INSTRUCTIONS:**

Maxforce Granular Insect Bait is a ready to use, low application rate product for controlling most common ant and large cockroach species (excludes German cockroaches). The patented formula contains a special blend of foods, plus a slow acting stomach poison. Expect to see fewer insects within one week.

**INSECTICIDE RESISTANCE WARNING:**

<b>GROUP</b>	<b>20A</b>	<b>INSECTICIDE</b>
--------------	------------	--------------------

For insecticide resistance management Maxforce Granular Insect Bait is a Group 20A insecticide. Some naturally occurring insect biotypes resistant to Maxforce Granular Insect Bait and other Group 20A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Maxforce Granular Insect Bait or other Group 20A insecticides are used repeatedly. The effectiveness of Maxforce Granular Insect Bait on resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from failure of Maxforce Granular Insect Bait to control resistant insects.

For information about strategies for managing insecticide resistance contact your local supplier or Bayer Environmental Science representative.

**APPLICATION:**

For outdoor broadcast applications use a hand-held rotary spreader or similar device which will give uniform distribution. For smaller areas sprinkle uniformly by hand covered with elbow length gloves. DO NOT apply to areas that are routinely irrigated or washed, or if rain is likely within 24 hours.

For indoor applications use a suitable dust or granule applicator.

**EQUIPMENT CLEANING:**

Equipment should be thoroughly cleaned before use and after use granules should be returned to the original labelled container and the container sealed.

**COMPATIBILITY:**

DO NOT apply with any other insecticide, fertilizer or product of any type.

**PROTECTION OF LIVESTOCK:**

This product may be attractive to animals. If product is spilt collect or spread the granules to discourage eating.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT:**

This product is highly toxic to fish and aquatic invertebrates. DO NOT apply directly to water. DO NOT contaminate ponds, waterways or drains with the product or used containers. This product may only be applied within the areas specified on the label. DO NOT apply in conservation areas such as National/State Parks and nature reserves.

ANCILLARY PANEL**PRECAUTIONS:**

Should not be used in areas accessible to children.

**STORAGE AND DISPOSAL:**

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS:**

If dispensing by hand wear rubber gloves.

**FIRST AID:**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26).

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the material safety data sheet.

**Exclusion of Liability**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Maxforce® is a registered trademark of Bayer.

APVMA Approval No.: 56627/1kg/1105

**FOR 24 HOUR SPECIALIST ADVICE  
IN EMERGENCY ONLY:  
PHONE 1800 033 111**

Bayer Environmental Science  
A Business Group of Bayer CropScience Pty Ltd  
A.B.N. 87 000 226 022  
391-393 Tooronga Rd  
East Hawthorn, Vic. 3123  
Phone: (03) 9248 6888  
Fax: (03) 9248 6800  
Website: [www.bayercropscience.com.au](http://www.bayercropscience.com.au)

BAR CODE

BATCH NO:

DATE OF MANUFACTURE: